

## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1 Product identifier:** BAXTAN SP. Z O.O.

10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR

UFI: UYRJ-4TTW-PW0M-CY4R

Other means of identification:

Not relevant

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Detergent for cleaning clothes

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

BAXTAN SP. Z O.O. OFIAR KATYNIA 7

37-700 PRZEMYŚL - POLAND Phone: +48 519 631 518 verkauf@frischekraft.com https://www.frischekraft.com

1.4 Emergency telephone number:

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Irrit. 2: Eye irritation, Category 2, H319 Skin Irrit. 2: Skin irritation, Category 2, H315

2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Warning



#### **Hazard statements:**

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Irrit. 2: H315 - Causes skin irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling

P273: Avoid release to the environment.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501: Dispose of contents/ container in accordance with local/regional/national/international regulation.

#### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substance:

Non-applicable

#### 3.2 Mixture:





## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Tensoactive/s

**Components:** 

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification		Concentration
CAS:	26836-07-7	Dodecylbenzenesulp	honic acid, compound with 2-aminoethanol (1:1)(1)	Self-classified	
EC: Index: REACH:	248-024-2 Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger		15 - <25 %
CAS:	157627-86-6	Alcohols, C13-15, bra	anched and linear, ethoxylated <sup>(1)</sup>	Self-classified	
EC: Index: REACH:	500-337-8 Non-applicable Non-applicable	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	(1)	15 - <25 %
CAS:	91031-21-9	Fatty acids, C12-18,	compds. with ethanolamine(1)	Self-classified	
EC: Index: REACH:	292-921-1 Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318 - Danger		5 - <10 %
CAS:	68891-38-3 500-234-8 Non-applicable 01-2119488639-16- XXXX	Alcohols, C12-C14, ethoxylated, sulphate, sodium salt(1)  Self-classified			
EC: Index: REACH:		Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger		2,5 - <5 %	
CAS:	141-43-5	2-aminoethanol(2)		ATP CLP00	
EC: Index: REACH:	205-483-3 603-030-00-8 01-2119486455-28- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312+H332; Skin Corr. 1B: H314 - Danger	⟨1⟩ ⟨₽⟩	0,1 - <1 %
CAS:	101-84-8	Diphenyl ether(2)		Self-classified	
EC: Index: REACH:	202-981-2 Non-applicable : 01-2119472545-33- XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Eye Irrit. 2: H319 - Warning	<u>(1)</u>	0,01 - <0,05

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

## Other information:

Identification	Specific concentration limit
Alcohols, C13-15, branched and linear, ethoxylated CAS: 157627-86-6 EC: 500-337-8	% (w/w) >=10: Eye Dam. 1 - H318 1<= % (w/w) <10: Eye Irrit. 2 - H319
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt CAS: 68891-38-3 EC: 500-234-8	% (w/w) >=10: Eye Dam. 1 - H318 5<= % (w/w) <10: Eye Irrit. 2 - H319
2-aminoethanol CAS: 141-43-5 EC: 205-483-3	% (w/w) >=5: STOT SE 3 - H335

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acut	Genus	
Alcohols, C13-15, branched and linear, ethoxylated	LD50 oral	2000 mg/kg	
CAS: 157627-86-6	LD50 dermal	Not relevant	
EC: 500-337-8	LC50 inhalation	Not relevant	
2-aminoethanol	LD50 oral	1089 mg/kg	Rat
CAS: 141-43-5	LD50 dermal	1100 mg/kg	
EC: 205-483-3	LC50 inhalation	Not relevant	

## **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

#### By inhalation:

<sup>(2)</sup> Substance with a Union workplace exposure limit



# BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

#### SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

## Unsuitable extinguishing media:

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

## **Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

## For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:



# BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

## 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

Identification		Occup	Occupational exposure limits		
2-aminoethanol	(1)	IOELV (8h)	1 ppm	2,5 mg/m <sup>3</sup>	
CAS: 141-43-5	EC: 205-483-3	IOELV (STEL)	3 ppm	7,6 mg/m <sup>3</sup>	
Diphenyl ether		IOELV (8h)	1 ppm	7 mg/m <sup>3</sup>	
CAS: 101-84-8	EC: 202-981-2	IOELV (STEL)	2 ppm	14 mg/m <sup>3</sup>	

(1) Skin

## **DNEL (Workers):**





## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long e	xposure
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 68891-38-3	Dermal	Not relevant	Not relevant	2750 mg/kg	Not relevant
EC: 500-234-8	Inhalation	Not relevant	Not relevant	175 mg/m <sup>3</sup>	Not relevant
2-aminoethanol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 141-43-5	Dermal	Not relevant	Not relevant	3 mg/kg	Not relevant
EC: 205-483-3	Inhalation	Not relevant	Not relevant	1 mg/m³	0,51 mg/m <sup>3</sup>
Diphenyl ether	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 101-84-8	Dermal	Not relevant	Not relevant	25 mg/kg	Not relevant
EC: 202-981-2	Inhalation	Not relevant	14 mg/m <sup>3</sup>	59 mg/m <sup>3</sup>	7 mg/m³

#### **DNEL (General population):**

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	Oral	Not relevant	Not relevant	15 mg/kg	Not relevant
CAS: 68891-38-3	Dermal	Not relevant	Not relevant	1650 mg/kg	Not relevant
EC: 500-234-8	Inhalation	Not relevant	Not relevant	52 mg/m <sup>3</sup>	Not relevant
2-aminoethanol	Oral	Not relevant	Not relevant	1,5 mg/kg	Not relevant
CAS: 141-43-5	Dermal	Not relevant	Not relevant	1,5 mg/kg	Not relevant
EC: 205-483-3	Inhalation	Not relevant	Not relevant	0,18 mg/m <sup>3</sup>	0,28 mg/m <sup>3</sup>

#### PNEC:

Identification				
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	STP	10000 mg/L	Fresh water	0,24 mg/L
CAS: 68891-38-3	Soil	7,5 mg/kg	Marine water	0,024 mg/L
EC: 500-234-8	Intermittent	0,071 mg/L	Sediment (Fresh water)	0,917 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,092 mg/kg
2-aminoethanol	STP	100 mg/L	Fresh water	0,07 mg/L
CAS: 141-43-5	Soil	1,29 mg/kg	Marine water	0,007 mg/L
EC: 205-483-3	Intermittent	0,028 mg/L	Sediment (Fresh water)	0,357 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,036 mg/kg
Diphenyl ether	STP	10 mg/L	Fresh water	0 mg/L
CAS: 101-84-8	Soil	0,018 mg/kg	Marine water	0 mg/L
EC: 202-981-2	Intermittent	0,005 mg/L	Sediment (Fresh water)	0,093 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,009 mg/kg

## 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection



## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

#### E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

#### F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
<b>^+</b>	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>*</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0,93 % weight
V.O.C. density at 20 °C: Not relevant
Average carbon number: 4,82

Average molecular weight: 92,58 g/mol

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

#### Appearance:

Physical state at 20 °C: Liquid

Appearance: Liquid capsules
Colour: Characteristic
Odour: Characteristic
Odour threshold: Not relevant \*

Volatility:

Boiling point at atmospheric pressure: 126 °C Vapour pressure at 20 °C: 2005 Pa

Vapour pressure at 50 °C: 10573,37 Pa (10,57 kPa)

Evaporation rate at 20 °C: Not relevant \*

**Product description:** 

\*Not relevant due to the nature of the product, not providing information property of its hazards.





## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Density at 20 °C: Not relevant \* Relative density at 20 °C: Not relevant \* Dynamic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 20 °C: Not relevant \* Kinematic viscosity at 40 °C: Not relevant \* Concentration: Not relevant \* Not relevant \* pH: Vapour density at 20 °C: Not relevant \* Partition coefficient n-octanol/water 20 °C: Not relevant \* Solubility in water at 20 °C: Not relevant \* Solubility properties: Not relevant \* Not relevant \* Decomposition temperature: Melting point/freezing point: Not relevant \*

Flammability:

Flash Point: Non Flammable (>60 °C)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant \*

Not relevant \*

**Particle characteristics:** 

Median equivalent diameter: Non-applicable

#### 9.2 Other information:

## Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Not relevant \*

Corrosive to metals:

Not relevant \*

Other safety characteristics:

Surface tension at 20 °C:

Not relevant \*

Refraction index:

Not relevant \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

## 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

#### Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acid	s Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin irritation (according test OECD 437, number report B21 0752/21 248).
  - Contact with the eyes: Produces eye irritation after contact (according test OECD 437, number report B21 0752/21 248).
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### Other information:

Not relevant





## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R

## SECTION 11: TOXICOLOGICAL INFORMATION (continued)

#### Specific toxicology information on the substances:

Identification	Acu	Acute toxicity	
Alcohols, C13-15, branched and linear, ethoxylated	LD50 oral	2000 mg/kg	
CAS: 157627-86-6	LD50 dermal		
EC: 500-337-8	LC50 inhalation		
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	LD50 oral	4100 mg/kg	Rat
CAS: 68891-38-3	LD50 dermal		
EC: 500-234-8	LC50 inhalation		
2-aminoethanol	LD50 oral	1089 mg/kg	Rat
CAS: 141-43-5	LD50 dermal	1100 mg/kg	
EC: 205-483-3	LC50 inhalation		
Diphenyl ether	LD50 oral	>5000 mg/kg	Rat
CAS: 101-84-8	LD50 dermal	7940 mg/kg	Rabbit
EC: 202-981-2	LC50 inhalation		

## 11.2 Information on other hazards:

#### **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

#### Other information

Not relevant

## SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

## 12.1 Toxicity:

## **Acute toxicity:**

Identification		Concentration	Species	Genus
Alcohols, C13-15, branched and linear, ethoxylated	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 157627-86-6	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 500-337-8	EC50	>10 - 100 mg/L (72 h)		Algae
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	LC50	7,1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7,4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 500-234-8	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
2-aminoethanol	LC50	349 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 141-43-5	EC50	65 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-483-3	EC50	22 mg/L (72 h)	Scenedesmus subspicatus	Algae
Diphenyl ether	LC50	>0.1 - 1 mg/L (96 h)		Fish
CAS: 101-84-8	EC50	>0.1 - 1 mg/L (48 h)		Crustacean
EC: 202-981-2	EC50	>0.1 - 1 mg/L (72 h)		Algae

## **Chronic toxicity:**

Identification		Concentration	Species	Genus
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	NOEC	0,2 mg/L	Oncorhynchus mykiss	Fish
CAS: 68891-38-3 EC: 500-234-8	NOEC	0,27 mg/L	Daphnia magna	Crustacean
2-aminoethanol	NOEC	1,24 mg/L	Oryzias latipes	Fish
CAS: 141-43-5 EC: 205-483-3	NOEC	0,85 mg/L	Daphnia magna	Crustacean

## 12.2 Persistence and degradability:

## **Substance-specific information:**







## SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Degradability		Biodegradability	
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	BOD5	Not relevant	Concentration	10.5 mg/L
CAS: 68891-38-3	COD	Not relevant	Period	28 days
EC: 500-234-8	BOD5/COD	Not relevant	% Biodegradable	100 %
2-aminoethanol	BOD5	Not relevant	Concentration	20 mg/L
CAS: 141-43-5	COD	Not relevant	Period	21 days
EC: 205-483-3	BOD5/COD	Not relevant	% Biodegradable	90 %
Diphenyl ether	BOD5	Not relevant	Concentration	5.6 mg/L
CAS: 101-84-8	COD	Not relevant	Period	20 days
EC: 202-981-2	BOD5/COD	Not relevant	% Biodegradable	76 %

## 12.3 Bioaccumulative potential:

#### **Substance-specific information:**

Identification	Bioaccumulation potential	
2-aminoethanol	BCF	3
CAS: 141-43-5	Pow Log	-1.31
EC: 205-483-3	Potential	Low
Diphenyl ether	BCF	196
CAS: 101-84-8	Pow Log	4.21
EC: 202-981-2	Potential	High

#### 12.4 Mobility in soil:

Identification	Absorpti	on/desorption	Volati	ility
2-aminoethanol	Koc	0.27	Henry	3,7E-5 Pa·m³/mol
CAS: 141-43-5	Conclusion	Very High	Dry soil	No
EC: 205-483-3	Surface tension	5,025E-2 N/m (25 °C)	Moist soil	No
Diphenyl ether	Koc	1960	Henry	Not relevant
CAS: 101-84-8	Conclusion	Low	Dry soil	Not relevant
EC: 202-981-2	Surface tension	1,753E-2 N/m (258,4 °C)	Moist soil	Not relevant

## 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

## 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

## SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 29*	detergents containing hazardous substances	Hazardous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

## Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

## Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

#### Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



## **BAXTAN SP. Z O.O.** 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR **UFI: UYRJ-4TTW-PW0M-CY4R**

## SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

**14.1 UN number or ID number:** Not relevant 14.2 UN proper shipping name: Not relevant 14.3 Transport hazard class(es): Not relevant Labels: Not relevant 14.4 Packing group: Not relevant

14.5 Environmental hazards:

14.6 Special precautions for user

Special regulations: Not relevant Not relevant Tunnel restriction code: Physico-Chemical properties: see section 9 Limited quantities: Not relevant

14.7 Maritime transport in bulk according to IMO

instruments:

Not relevant

#### Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number or ID number: Not relevant 14.2 UN proper shipping name: Not relevant 14.3 Transport hazard class(es): Not relevant Labels: Not relevant 14.4 Packing group: Not relevant

14.5 Marine pollutant:

14.6 Special precautions for user

Special regulations: Not relevant

EmS Codes:

see section 9 Physico-Chemical properties: Limited quantities: Not relevant Segregation group: Not relevant 14.7 Maritime transport in bulk Not relevant

according to IMO instruments:

## Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

**14.1 UN number or ID number:** Not relevant 14.2 UN proper shipping name: Not relevant 14.3 Transport hazard class(es): Not relevant Labels: Not relevant 14.4 Packing group: Not relevant 14.5 Environmental hazards:

14.6 Special precautions for user

Physico-Chemical properties: see section 9 Not relevant

14.7 Maritime transport in bulk according to IMO

instruments:

## **SECTION 15: REGULATORY INFORMATION**



# BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 15: REGULATORY INFORMATION (continued)

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2-benzisothiazol-3(2H)-one.
- Article 95, REGULATION (EU) No 528/2012: Geraniol (106-24-1) PT: (18,19); benzyl alcohol (100-51-6) PT: (6); 1,2-benzisothiazol-3(2H)-one (2634-33-5) PT: (2,6,9,11,12,13).
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

#### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### **Labelling for contents:**

Component	Concentration interval
Anionic surfactants	15 <= % (w/w) < 30
Soap	5 <= % (w/w) < 15
Non-ionic surfactants	15 <= % (w/w) < 30
Phosphonates	% (w/w) < 5
Enzymes	
perfumes	

Allergenic fragrances: Citronellol (CITRONELLOL), d-limonene (LIMONENE), Geraniol (GERANIOL), Linalool (LINALOOL).

Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE).

#### Seveso III:

Not relevan

## Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## **SECTION 16: OTHER INFORMATION**

## Legislation related to safety data sheets:

#### Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

## BAXTAN SP. Z O.O. 10002089 TRIPLE LAUNDRY CAPS FRISCHE KRAFT COLOR UFI: UYRJ-4TTW-PW0M-CY4R



## SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Not relevant

#### Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

## Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

## CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

#### **Abbreviations and acronyms:**

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.